Sri N. RACHIAH.—It may be true in some parts, but it is not true in all parts of the State.

Sri G. SIVAPPA.—The amount allotted in 1959-60 is Rs. 5,91,100. It is possible that a similar amount was allotted last year also. May I know the percentage of lapse ? Is it not a fact that more than 50% of the amount has lapsed ?

Sri N. RACHIAH.—I do not know exactly. The question will be examined.

ಶ್ರೀ ಟಿ. ಎನ್. ಮೂಡಲಗಿರಿಗೌಡ.—ಈ ರೋಗಗಳನ್ನು ತಡೆಗಟ್ಟುವಂತಹ ತೀವ್ರವಾದ ಕಾರ್ಯಕ್ರಮವನ್ನು ಸರಕಾರ ಹಾಕಿಕೊಳ್ಳದೇ ಇರುವುದರಿಂದ ಬತ್ತದ ಬೆಳೆ ಶೇಕಡಾ ಇಪ್ಪತ್ತೈದರಷ್ಟು ಭಾಗ ನಷ್ಟವಾಗಿರುವುದು ಗಮನಕ್ಕೆ ಬಂದಿದೆಯೇ ?

ಶ್ರೀ ಎನ್. ರಾಚಯ್ಯ.—ನಿರ್ದಿಷ್ಟವಾದ ಯೋಜನೆಯನ್ನು ಇಟ್ಟುಕೊಂಡಿದ್ದೇವೆ. ಕೆಲವು ಸಂದರ್ಭಗಳಲ್ಲಿ ಹಾಗಾಗಿರಬಹುದು. ಅಂತಹುದನ್ನು ನೋಡಿ ಸರಿಪಡಿಸುತ್ತೇವೆ.

ಶ್ರೀಮತಿ ಬನವರಾಜೇಶ್ವರಿ.—ರಾಯಚೂರು ಜಿಲ್ಲೆಯಲ್ಲಿನ ಕೆಲವು ಗ್ರಾಮಗಳಲ್ಲಿ ಈ ರೀತಿಯಾದ ರೋಗಗಳು ಹರಡಿ ಬೆಳೆಗಳು ಹಾಳಾಗಿ ಹೋಗುತ್ತಿದ್ದರೂ ಇದುವರೆಗೆ ತೀವ್ರವಾದ ಯಾವ ಕ್ರಮಗಳನ್ನೂ ತೆಗೆದುಕೊಳ್ಳದೇ ಇರುವುದಕ್ಕೆ ಕಾರಣಗಳೇನು ?

ಶ್ರೀ ಎನ್. ರಾಚಯ್ಯ.—ಇಲ್ಲಿಯ ತನಕ ಸರಕಾರದ ಗಮನಕ್ಕೆ ಬಂದಿರ್ಲಿಲ್ಲ. ಬಂದ ತಕ್ಷಣ ಸೂಕ್ತವಾದ ಕಾರ್ಯಕ್ರಮವನ್ನು ತೆಗೆದುಕೊಳ್ಳಲಾಗುತ್ತದೆ.

ಶ್ರೀಮತಿ ಬನವರಾಜೇಶ್ವರಿ.—ತಮ್ಮ ಗಮನಕ್ಕೆ ತರಬೇಕೆಂದು ಇಲ್ಲಿ ಹೇಳುತ್ತಿದ್ದೇನೆ. ಬೇಗನೆ ತಕ್ಕ ಕಾರ್ಯಕ್ರಮವನ್ನು ತೆಗೆದುಕೊಳ್ಳುತ್ತೀರಾ ?

ಶ್ರೀ ಎನ್. ರಾಚಯ್ಯ.—ಸೂಕ್ತವಾದ ಕಾರ್ಯಕ್ರಮವನ್ನು ತೆಗೆದುಕೊಳ್ಳುತ್ತೇವೆ.

ಶ್ರೀಮತಿ ಶಾಂತಾಬಾಯಿ ಹೀರಾಚಂದ್ ಪಾ.—ಬಿಜಾಪುರ ಜಿಲ್ಲೆಯಲ್ಲಿನ ರೋಗಗಳ ವಿಚಾರವು ಸರಕಾರದ ಗಮನಕ್ಕೆ ಬಂದಿಲ್ಲವೇ ?

ಶ್ರೀ ಎನ್. ರಾಚಯ್ಯ.—ಸರಕಾರದ ಗಮನಕ್ಕೆ ಬಂದ ತಕ್ಷಣ ಕಾರ್ಯಕ್ರಮವನ್ನು ತೆಗೆದುಕೊಳ್ಳಲಾಗುತ್ತದೆ.

Dr. R. NAGAN GOWDA.—The amount that is now allotted for this purpose does not work out to even a couple of nP. per acre, but Government gets nothing less than Rs.2 per acre as land revenue May I know whether Government will be pleased to allot a little bit more in the next budget for this purpose ?

Sri N. RACHIAH.—That will be considered.

Supply of Electricity to some of the Villages in Ron Taluk.

*Q.—77. Sri A. J. DODDAMETI (Ron).—

Will the Government be pleased to state :—

(*a*) whether it is a fact that the Mysore State Electricity Board has sent recommendations regarding the supply of electricity to certain villages of Ron Taluk, Dharwar District ;

(*b*) if so, when it was sent and whether they have accorded sanction to the same ;

(*c*) if sanction has been accorded when the work relating to supply of electricity to Ron Taluk would be taken up ?

A.—Sri H. M. CHANNABASAPPA (Minister for Public Works and Electricity).—

(*a*) No recommendation has been sent to Government.

Two estimates, one for running a 33 kV. Power and Telephone Line from Gadag to Ron, and another for the electrification of Ron, Naregal, Abbigere, Jakkali Sudi, Nidagundi and Gajendragad in Ron Taluk have been received in the office of the Mysore State Electricity Board and they are under scrutiny.

(*b*) It was sent to the Board on 6th October 1959. The estimate is not yet sanctioned.

(*c*) Does not arise in view of answer to (*b*).

ಶ್ರೀ ಎ. ಜೆ. ದೊಡ್ಡಮೇಟಿ.—ಬೋರ್ಡಿನಿಂದ ಕೊನೆಯದಾಗಿ ಮಂಜೂರಾತಿ ಇನ್ನೆಷ್ಟು ದಿವಸಗಳಲ್ಲಿ ಬರುತ್ತದೆ ಎಂದು ತಿಳಿದುಕೊಳ್ಳಬೇಕು ?

†ಶ್ರೀ ಎಂ. ಎನ್. ನಾಗನೂರ್ (ಲೋಕೋಪಯೋಗಿ ಶಾಖೆಯ ಉಪಮಂತ್ರಿಗಳು) —ಎರಡು ಅಂದಾಜುಗಳು ಬೋರ್ಡಿನ ಮುಂದೆ 6-10-1959ರಲ್ಲಿ ಬಂದಿವೆ. ಅಲ್ಲಿ ಪರಿಶೀಲನೆ ಮಾಡಿ ಇಲ್ಲಿಗೆ ಬಂದ ಅನಂತರ ಮಂಜೂರಾತಿಯನ್ನು ಕೊಡಲಾಗುತ್ತದೆ.

ಶ್ರೀ ಎ. ಜೆ. ದೊಡ್ಡಮೇಟಿ.—ಈ ಎರಡು ಅಂದಾಜುಗಳ ಮೊತ್ತ ಎಷ್ಟು ?

ಶ್ರೀ ಎಂ. ಎನ್. ನಾಗನೂರ್.—ಗದಗಿನಿಂದ ರೋಣದವರೆಗೆ ಇರುವ ಅಂದಾಜು ಸುಮಾರು 7,29,374 ರೂಪಾಯಿಗಳು ಮತ್ತು ರೋಣ ತಾಲ್ಲೂಕಿನ ರೋಣ, ಸೆರೇಗಲ್ಲು, ಅಬ್ಬಿಗೇರಿ, ಜಕ್ಕಲಿ ಮುಂತಾದ ಗ್ರಾಮಗಳಿಗಿರುವ ಅಂದಾಜು ಸುಮಾರು 11,14,074 ರೂಪಾಯಿಗಳು.

1-30 P.M.

ಶ್ರೀ ಎ. ಜೆ. ದೊಡ್ಡಮೇಟಿ.—ಬೋರ್ಡಿನಿಂದ ಈ ಕೆಲಸ ಬಹಳ ನಿಧಾನವಾಗುತ್ತದೆ. ಆದುದರಿಂದ

ಈ ಬಗ್ಗೆ ಸರ್ಕಾರದವರು ಏನಾದರೂ ಪ್ರಯತ್ನ ಮಾಡಿದ್ದಾರೆಯೇ ?

ಶ್ರೀ ಎಂ. ಎನ್. ನಾಗನೂರ್.—ಹಾಗೆ ಹೇಳುವುದು ಸರಿಯಲ್ಲ.

ಶ್ರೀ ಟಿ. ಕೆ. ಕಂಬಳಿ.—ಅಂದಾಜನ್ನು ಅಕ್ಟೋಬರ್ 6ನೆಯ ತಾರೀಖು ಬೋರ್ಡಿಗೆ ಕಳಿಸಲಾಯಿತು; ಇನ್ನು ಮಂಜೂರಾಗಿಲ್ಲವೆಂದು ಹೇಳಿದ್ದಾರೆ. ಮಂಜೂರು ಮಾಡುವುದು ಯಾವಾಗ ?

ಶ್ರೀ ಎಂ. ಎನ್. ನಾಗನೂರ್.—ಪರಿಶೀಲನೆಯಲ್ಲಿದೆ ಎಂದು ಹೇಳಿದ್ದೇನೆ.

Incidents of Power Shut-down at the Mysore Iron and Steel Works, Bhadravati.

*Q.—79. Sri D. T. SEETHARAMA RAO (Bhadravati).—

Will the Government be pleased to state :—

(*a*) the number of incidents of power shut-down at the Mysore Iron and Steel Works, Bhadravati, during the month of October 1959 ;

(*b*) which of the plants in the said Works had to suspend production on that account ;

(*c*) the details of plantwar loss of production and consequent loss incurred ?

A.—Sri B. D. JATTI (Chief Minister).—

(*a*) One.

(*b*) 1 Electric Steel Furnace.
2 Steel Foundry.
3 Rolling Mill.
4 Strip and Rod Mill.
5 Two 1,500 KVA Ferro Alloy furnaces.

(*c*) The following are the details:—

	Shut-down period	Production loss in	Consequent loss in
	Days	Tons	Rs.
1 Electric Steel Furnace ...	28·33	378	25,596
2 Steel Foundry ...	24·33	56	1,00,096
3 Rolling Mill ...	28·33	2,361	2;44,408
4 Strip and Rod Mill ...	28·33	617	1,45,553
5 Two 1,500 KVA Ferro-alloy furnaces—			
1st Furnace ...	31·00	75	67;373
2nd Furnace ...	32·00	80	
		Total Rs.	5,83,026

ಶ್ರೀ ಡಿ. ಟಿ. ಸೀತಾರಾಮರಾವ್.—ಒಂದು ಸಾರಿ ಆಕಸ್ಮಿಕವಾಗಿ ವಿದ್ಯುಚ್ಛಕ್ತಿ ನಿಂತು ಹೋಯಿತು ಎಂಬುದಾಗಿ ಅಪ್ಪಣೆ ಕೊಡಿಸಿದ್ದಾರೆ. ಇದು ಕಬ್ಬಿಣ ಕಾರ್ಖಾನೆ ಅಧಿಕಾರ ವರ್ಗದ ದೋಷವೋ ಅಥವಾ ವಿದ್ಯುಚ್ಛಕ್ತಿ ಬೋರ್ಡಿನವರ ತಪ್ಪೋ ?

Sri B. D. JATTI.—According to my information, the mistake is with the Electricity Board and not with the Department.

ಶ್ರೀ ಡಿ. ಟಿ. ಸೀತಾರಾಮರಾವ್.—ಈ ರೀತಿ ಆಗದೆ ಇರಲಿಕ್ಕೆ ಬೇರೆ ಟ್ರಾನ್ಸ್‌ಫಾರ್ಮರ್‌ಗಳನ್ನೇ ನಾವೆರೂ ಇಟ್ಟುಕೊಂಡಿದ್ದರೇ ಅಥವಾ ಇಲ್ಲವೆ ?

Sri B. D. JATTI.—Sir, there is already a stand-by equipment, but accidentally that could not work at that time. Therefore, there was delay.

Sri C. M. ARUMUGHAM.—Sir, the Hon'ble Member who is putting the question is a member of the Bhadravati Iron Works Board. Can he ask such questions here ?

Mr. SPEAKER.—He can.

Sri C. M. ARUMUGHAM.—The Chief Minister is the Chairman of the Board and the Member Sri Seetharama Rao is a member of the Board. They can discuss these things in the Chambers of the Chief Minister.

Mr. SPEAKER.—I am only concerned with the question. The Hon'ble Member, whoever he may be, is entitled to get the information.